

Hemp Hearts pumpkin

Batch ID:	Hemp Hearts pumpkin	Test ID:	T000155541
Matrix:	Finished Product	Received:	08/04/2021 @ 11:32 AM
Test:	Microbial Contaminants	Started:	8/5/2021
Method:	TM25 (qPCR) TM24, TM26, TM27, TM28 (Culture Plating)	Reported:	8/9/2021

MICROBIAL CONTAMINANTS

Contaminant	Method	LOD	LLOQ	ULOQ	Result
רotal Aerobic Count*	TM-26 Culture Plating	10^2 CFU/g	10^3 CFU/g	1.5x10^5 CFU/g	None Detected
Total Coliforms*	TM-27 Culture Plating	10^1 CFU/g	10^2 CFU/g	1.5x10^4 CFU/g	None Detected
otal Yeast and Molds*	TM-24 Culture Plating	10^1 CFU/g	10^2 CFU/g	1.5x10^4 CFU/g	None Detected
E. coli	TM-28 Culture Plating	1 CFU/g	NA	NA	Absent
E. coli (STEC)	TM-25 PCR	1 CFU/g	NA	NA	Absent
Salmonella	TM-25 PCR	1 CFU/g	NA	NA	Absent

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently

written in decimal form. Examples: 10^2

10^2 = 100 CFU 10^3 = 1,000 CFU 10^4 = 10,000 CFU 10^5 = 100,000 CFU

NOTES:

Free from visual mold, mildew, and foreign matter

DEFINITIONS:

CFU/g = Colony Forming Units per Gram. LOD = Limit of Detection ULOQ = Upper Limit of Quantitation LLOQ = Lower Limit of Quantitation

FINAL APPROVAL

Brianne Maillot	Brianne Maillot 9-Aug-2021 12:36 PM	Greefing	Sarah Henning 9-Aug-2021 3:14 PM		
PREPARED BY / DATE		APPROVED BY / DATE			
Testing results are based solely u	un u				

LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.



Botanacor Laboratories™, All Rights Reserved | 1301 S Jason St Unit K, Denver, CO 80223 | 888.800.8223 | www.botanacor.com