

Prepared for:
Earth Buddy Pet

425 South Bowen St. #4
Longmont, CO USA 80501

4:1 CBDa:CBD - Blend

Batch ID or Lot Number: 2182-RE-EBB	Test: Pesticides	Reported: 19Dec2023	USDA License: NA
Matrix: Concentrate	Test ID: T000264980	Started: 18Dec2023	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 13Dec2023	Status: NA

Pesticides

Pesticides	Dynamic Range (ppb)	Result (ppb)	Pesticides	Dynamic Range (ppb)	Result (ppb)
Abamectin	261 - 2803	ND	Malathion	288 - 2663	ND
Acephate	43 - 2806	ND	Metalaxyl	45 - 2682	ND
Acetamiprid	45 - 2739	ND	Methiocarb	45 - 2698	ND
Azoxystrobin	46 - 2680	ND	Methomyl	42 - 2816	ND
Bifenazate	45 - 2682	ND	MGK 264 1	164 - 1629	ND
Boscalid	52 - 2727	ND	MGK 264 2	110 - 1084	ND
Carbaryl	43 - 2713	ND	Myclobutanil	14 - 2686	ND
Carbofuran	44 - 2690	ND	Naled	47 - 2670	ND
Chlorantraniliprole	41 - 2652	ND	Oxamyl	43 - 2820	ND
Chlorpyrifos	41 - 2702	ND	Paclobotrazol	40 - 2715	ND
Clofentezine	276 - 2742	ND	Permethrin	277 - 2734	ND
Diazinon	293 - 2684	ND	Phosmet	45 - 2564	ND
Dichlorvos	289 - 2802	ND	Prophos	274 - 2674	ND
Dimethoate	42 - 2782	ND	Propoxur	45 - 2699	ND
E-Fenpyroximate	280 - 2759	ND	Pyridaben	287 - 2678	ND
Etofenprox	43 - 2686	ND	Spinosad A	33 - 2092	ND
Etoxazole	278 - 2626	ND	Spinosad D	65 - 662	ND
Fenoxycarb	47 - 2684	ND	Spiromesifen	267 - 2700	ND
Fipronil	33 - 2818	ND	Spirotetramat	302 - 2752	ND
Flonicamid	43 - 2860	ND	Spiroxamine 1	16 - 1013	ND
Fludioxonil	313 - 2681	ND	Spiroxamine 2	24 - 1579	ND
Hexythiazox	46 - 2725	ND	Tebuconazole	303 - 2661	ND
Imazalil	288 - 2718	ND	Thiacloprid	42 - 2788	ND
Imidacloprid	44 - 2830	ND	Thiamethoxam	41 - 2835	ND
Kresoxim-methyl	46 - 2690	ND	Trifloxystrobin	43 - 2729	ND

Final Approval



Karen Winternheimer
19Dec2023
09:09:00 AM MST

PREPARED BY / DATE



Sam Smith
19Dec2023
09:36:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/c52125dc-05d4-429d-baaa-2b0877b93563>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range
ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

c52125dc05d4429dbaaa2b0877b93563.2